WIN [illegible]

MPLC600



■■[illegible]

[illegible] WIN [illegible] ※1 [illegible] FA [illegible] PLC [illegible] GPS [illegible] 1Hz [illegible] 10Hz [illegible] 20Hz [illegible]

*1 WIN [illegible]

■■[illegible]

[illegible]

- [illegible] M8WD
- [illegible] Paroscientific [illegible] Model745, Model1000 [illegible]
- [illegible] WXT520
  - [illegible]
- [illegible] (Pt100Ω)
- [illegible]


※ Paroscientific [illegible] M8WD [illegible] 1Hz [illegible] 20Hz [illegible] 0.00001hPa [illegible]

[illegible]

- [illegible]

[illegible] RS232C, RS485 [illegible]

■■[illegible]



■■[illegible]




図1：フロントパネル

①[illegible]
4CH[illegible]
②[illegible]
[illegible]
③[illegible]
④[illegible]
[illegible]




図2：リアーパネル

[illegible]
⑤[illegible]
⑥[illegible]
⑦GPS[illegible]
TNC[illegible]GPS[illegible]
⑧LAN[illegible] RJ-45[illegible]

■■[illegible]

①[illegible]
②GPS[illegible]
③φ25[illegible]
④GPS[illegible] 10m
⑤[illegible]
⑥[illegible]
⑦[illegible]

※[illegible]
※[illegible]

■■□ □

□□□□□□□□□□

□□□□□	□□□□□□□□ 50mS,□□□□□□□□/□□ 12VDC/10mA□1ch
	(□□□□□□) □□□ 4ch □□□□□
	□□□□□ FFFFh(65535Dec)□□□□□□□□□□□□□
Pt100Ω □□□□	□□□□ ±0.4°C@□□□ 25±5°C(□□□□□□□□□□□□)□1ch
□□□□□□□□	(□□□□□□) 16□□□ A/D □□□□ 0□5V,1□5V,±10V ch□□□□
□□□□□□□□	5V/0.8A□6VDC/2A□12V/0.8A
□□□□□□□□	(□□□□□□) □□□□□□□□□□□□□□□□ 24VDC/1Amax
□□	10Base-T□RJ-45□□□□□
□□□□	□□ 0□40°C,□□ 10□90%R.H.(□□□□□□)
□□	100VAC,50/60Hz,□ 100W
□□	431W×249H×550D(mm)※□□□□□□□□□
□□	□ 18kg

□□□□□□□□□□□□□

□□□□□	□□□□□□□□□□□□□□□□ WIN □□□□
WEB □□□□	□□□□□□□□
telnet □□□□	□□□
ftp □□□□	□□□
□□□□□□□□	□□□ 1Hz □□□□□□□□□□□□□□□□□ 10Hz/20Hz □□□
□□□□□	WIN □□□□
	□□□□□□
□□□□□	WIN A0 □□□□□
	□□□□□□□□□□□□□□□□□
	□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□

□□□□ □□□ (M8WD)

RS232C □□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Paroscientific □ □□□□□□

RS232C □□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□ □□□□□□□ (WXT-510/520)

RS232C □□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□ 0□□□□□□□□□□

□□□

□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

FFFFh(65535Dec)□□□□□□□□□□□□□□□□

Pt100Ω □□□

□□□□□□□□□□□□□□□ 3□□ Pt100Ω □□□□□□□□□□□□□□

□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□

WIN □□□□□□□□□□□□□□□□□□□□□□□□

Web □□□□□□□□□□□□□□□□□

■■WEB□□

□□□WEB□□□□□□□□□□□□□□□□WEB□□□□□□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□□□

最新ログ

時刻	ログ
2007/03/12 16:11:03.143	水位計の計測開始コマンド送信に失敗しました。[Slot=6,Port=1]
2007/03/12 16:11:03.225	気圧計の計測開始コマンド送信エラーが発生しました。[Slot=6,Port=2]
2007/03/12 16:11:03.228	水温計用シリアルモジュールの初期化に失敗しました。[Slot=7,Port=1]
2007/03/12 16:11:11.757	水温計の計測コマンド送信エラーが発生しました。[Slot=7,Port=1]
2007/03/12 16:11:11.763	水位計のデータ受信エラーが発生しました。[Slot=6,Port=1]
2007/03/12 16:11:11.763	気圧計のデータ受信エラーが発生しました。[Slot=6,Port=2]
2007/03/12 16:11:22.766	水温計の初期化コマンド送信に失敗しました。[Slot=7,Port=1]

※□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□ Rev.May.2010-1

□□□□□□□□□□□□□□□□ □305-0005 □□□□□□□□□□ 4-3-10
TEL□029-850-3815 FAX: 029-850-3816 E-mail□sales@mecs.co.jp URL:http://www.mecs.co.jp
株式会社メックス